

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	44	(driver\$1) same (print\$3 near2 board\$1 or print\$3 near3 circuit\$3 or IC\$1 near2 board\$1 or IC\$1 near3 circuit\$3) same (equaliz\$10)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:56	
2	BRS	L2	589	(driv\$3 near2 circuit\$3 or driv\$3 near3 logic\$1 or driv\$3 nar2 device\$1) same (voltage near3 level\$1 with equaliz\$10)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:32	
3	BRS	L3	4	(voltage near3 level\$1 with equaliz\$10) same (print\$3 near2 board\$1 or print\$3 near3 circuit\$3 or IC\$1 near2 board\$1 or IC\$1 near3 circuit\$3)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:32	
4	BRS	L4	22	(voltage near3 level\$1 with equaliz\$10) same (print\$3 near2 board\$1 or print\$3 near3 circuit\$3 or IC\$1 near2 board\$1 or IC\$1 near3 circuit\$3 or integrated adj2 circuit\$3)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:33	
5	BRS	L5	398	(vmax or vmin or vlow or vhi or upper near2 voltage\$1 or low\$3 near2 voltage\$1 or minimum near2 voltage\$1 or maximum near2 voltage\$1 or three near3 level\$1 or third adj2 level\$1 or third adj2 voltage\$1) and 2	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:44	

	Error Definition	Err ors
1		
2		
3		
4		
5		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	117	(vmax or vmin or vlow or vhi or upper near2 voltage\$1 or low\$3 near2 voltage\$1 or minimum near2 voltage\$1 or maximum near2 voltage\$1 or three near3 level\$1 or third adj2 level\$1 or third adj2 voltage\$1) same 2	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 14:44	
7	BRS	L7	64	5 and (print\$3 near2 board\$1 or print\$3 near3 circuit\$3 or IC\$1 near2 board\$1 or IC\$1 near3 circuit\$3)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 14:45	
8	BRS	L8	3476	(driver\$1 with level\$1 or driv\$3 near4 multi\$3 adj2 level\$1 or transistor\$1 with level\$1) same (equaliz\$10 near3 level\$1 or adjust\$3 near3 level\$1)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 14:59	
9	BRS	L9	0	8 same reeiver\$1	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 14:58	
10	BRS	L10	103	8 same receiver\$1	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 14:59	

	Error Definition	Err ors
6		
7		
8		
9		
10		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L11	678	(driver\$1 with level\$1 or driv\$3 near4 multi\$3 adj2 level\$1 or transistor\$1 with level\$1) same (equaliz\$10 near3 level\$1 or equaliz\$10 with adjust\$3 near3 level\$1)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:59	
12	BRS	L12	15	11 same receiver\$1	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 14:59	
13	BRS	L13	65	11 and receiver\$1	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 15:15	
14	BRS	L14	1	(driv\$3 near3 multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1) with equaliz\$10 same (receiv\$3)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 15:18	
15	BRS	L15	1	(driv\$3 near3 multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1) same equaliz\$10 same (receiv\$3)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 15:18	
16	BRS	L16	1	(driv\$3 near3 multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1) with equaliz\$10	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 15:19	

	Error Definition	Err ors
11		
12		
13		
14		
15		
16		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L17	8	(driver\$1 or driving or buffer\$1 or transisito\$1) with (multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1 or voltage\$1 near2 level41) with equaliz\$10	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 15:20	
18	BRS	L18	148	(driver\$1 or driving or buffer\$1 or transisito\$1) with (multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1 or voltage\$1 near2 level\$1) with equaliz\$10	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 15:20	
19	BRS	L19	148	(driver\$1 or driving or buffer\$1 or transisitoR\$1) with (multi\$3 adj2 level\$1 or driv\$3 near3 plural\$3 adj2 level\$1 or voltage\$1 near2 level\$1) with equaliz\$10	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 15:21	
20	BRS	L20	119	19 and receiv\$3	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 15:21	
21	BRS	L21	58	20 and (IC\$1 or printed near2 circuit\$3 or integrated near2 circuit\$3)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 15:50	

	Error Definition	Err ors
17		
18		
19		
20		
21		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	L22	1620	(driv\$3 near3 transistor\$1 or differential\$1 near3 transistor\$1 or buffer\$1 near3 transistor\$1 or logic near3 transistor\$1 or combin\$10 near3 transistor\$1) with (equaliz\$9 near3 voltage\$1 or equaliz\$10 near3 level\$1)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:07	
23	BRS	L23	45248	receiv\$3 with (IC\$1 or printed near2 circuit\$3 or printed near2 device\$1 or printed near2 board\$1)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:08	
24	BRS	L24	45248	23 and 23	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:06	
25	BRS	L25	124	(driv\$3 near3 transistor\$1 or differential\$1 near3 transistor\$1 or buffer\$1 near3 transistor\$1 or logic near3 transistor\$1 or combin\$10 near3 transistor\$1) with (equaliz\$9 near3 voltage\$1 or equaliz\$10 near3 level\$1)	US-PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:05	

26	BRS	L27	2	25 and 23	US- PGPUB ; USPAT ; EPO; JPO	2005/04/1 9 16:06	
----	-----	-----	---	-----------	--	----------------------	--

	Error Definition	Err ors
22		
23		
24		
25		
26		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L26	37	22 and 23	US- PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:06	
28	BRS	L28	124	(driv\$3 near3 transistor\$1 or differential\$1 near3 transistor\$1 or buffer\$1 near3 transistor\$1 or logic near3 transistor\$1 or combin\$10 near3 transistor\$1) with (equaliz\$9 near3 voltage\$1 or equaliz\$10 near3 level\$1)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:07	
29	BRS	L29	31	28 and (IC\$1 or printed near2 circuit\$3 or printed near2 device\$1 or printed near2 board\$1)	US- PGPUB ; USPAT ; EPO; JPO	2005/04/19 16:19	

	Error Definition	Err ors
27		
28		
29		